



## **Economic Analysis of Grasscutter Production (*Thryonomys swinderianus*) in Osun State, Nigeria: A Case of Data Envelopment Approach**

**M. S. Olatido<sup>1\*</sup>, O. D. Adisa<sup>1</sup>, A. A. Akinola<sup>1</sup> and F. E. D. Awoyelu<sup>2</sup>**

<sup>1</sup>Department of Agricultural Economics, Obafemi Awolowo University, Ile-Ife, Osun State, Nigeria.

<sup>2</sup>Department of Agricultural Economics, University of Nigeria, Nsukka, Enugu State, Nigeria.

### **Authors' contributions**

*This work was carried out in collaboration among all authors. Author MSO designed the study, performed the statistical analysis, wrote the protocol, managed the analyses of the study and wrote the first draft of the manuscript. Authors ODA, AAA and FEDA helped in managing the literature searches and proof-read the manuscript while all authors read and approved the final manuscript.*

### **Article Information**

DOI: 10.9734/AJRAF/2019/v3i430045

#### Editor(s):

- (1) Dr. Nebi Bilir, Professor, Faculty of Forestry, Isparta University of Applied Sciences, Turkey.  
(2) Dr. Pierre A. Raoufou Radji, Associate Professor, Ornamental Horticulture and Urban Ecology- Node Manager GBIF Togo Herbarium Scientific Curator, Laboratory of Forestry Research (LRF), University of Lome, Togo.

#### Reviewers:

- (1) Kingsley Agbor ETCHU, IRAD Yaoundé, Cameroon.  
(2) Marco Antonio, Universidad Autónoma del Estado de Hidalgo, Mexico.  
(3) Grace O. Tona, Ladoke Akintola University of Technology, Nigeria.  
Complete Peer review History: <http://www.sdiarticle3.com/review-history/49481>

**Original Research Article**

**Received 10 April 2019**

**Accepted 19 June 2019**

**Published 20 July 2019**

### **ABSTRACT**

**Aim:** The study estimated the technical, allocative and economic efficiency indices and further examined the factors influencing technical efficiency for the sampled Grasscutter farms in Osun State.

**Study Design:** The study made use of only primary data obtained from sampled Grasscutter farmers in the three agricultural zones of the State.

**Place and Duration of Study:** The study was carried out in Osun State, Nigeria during 2017/2018 farming season.

**Methodology:** Twenty four respondents, each, were randomly selected from the list of Grasscutter farmers obtained from Osun State Agricultural Development Project (ADP). Data collected was analyzed using the stochastic frontier model and Tobit regression model. The overall technical efficiency was estimated with no effort of decomposing it into pure and scale efficiencies.

\*Corresponding author: E-mail: [sharonsam2016@gmail.com](mailto:sharonsam2016@gmail.com);

**Results:** The results showed that the range of efficiency indices varies greatly with minimum of 0.742, 0.263 and 0.168 and maximum of 1.0 for technical, allocative and economic efficiencies, respectively. The mean efficiencies which indicate the average potential therein in Grasscutter production in the study area were 0.96, 0.63 and 0.83 for technical, allocative and economic efficiency, respectively. Only one, out of the seventy two grasscutter farmers involved in the analysis was found to be technically, allocatively and economically efficient. Many sampled grasscutter farmers employed the 'wrong' input mix, given input prices, so that, on average, costs were (37%) higher than the cost minimizing level. However, farms have the potential to reduce their physical input, on average, by (4%) and still produce the same level of output.

**Conclusion:** There was a great potential to improve the output of grasscutter farms and save cost, if variable inputs were adjusted to the optimal level along the short-run isoquant. Education and farming experience significantly influenced technical, allocative and economic efficiencies, respectively, while inefficiency results, in large part, from allocative rather than technical inefficiency.

*Keywords: Economic efficiency; DEA; grasscutter; Tobit.*

## 1. INTRODUCTION

Wildlife has great potentials for meat production and serves as an important source of the highly desired animal protein for both in urban and rural communities [1]. In Nigeria, there is an abundant variety of wildlife resources capable of supporting the protein intake of the populace. However, in recent times, there had been significant short fall between the production and supply of animal protein to feed the ever increasing population [2]. To arrest this unacceptable trend, efforts had been directed towards boosting the micro-livestock sector. Among the micro-livestock species is the Grasscutter or cane rat (*Thryonomys swinderianus*) popularly called Nchi by the Igbos, Gegbi in Hausa Language, Oya by the Yorubas, in Nigeria, Akranti/Akrantie in Ghana and simply Grasscutter in other West African Countries.

Grasscutter is a hystricomorphic rodent widely distributed in the African sub-region and exploited in most areas as a source of animal protein [3]. It is a heavily built animal with round muzzle, small round ears, short tail and harsh bristly fur. Apart from being the most preferred, it is the most expensive bush meat in most West African countries, Nigeria inclusive [4]. It contributes to both local and foreign earnings in some of these countries. Most rural populations in Nigeria depend on bush meat for their dietary protein supply and most Chinese who are resident in Nigeria cherish Grasscutter meat as regular meal and forms delicacy for entertainment for their guest from abroad [5]. The preference for Grasscutter is attributable to its high carcass quality and protein that is comparable to that of poultry, especially turkey

and other domesticated livestock like rabbit, sheep, goat and cattle [1]. A crude protein content of (22.7%) had been reported for grasscutter meat. This value is higher than the crude protein values of (20.7%) for rabbit meat, (19%) for chicken meat and (18.2%) for beef and (22.2%) for turkey [6]. However, it has been observed that one of the most serious constraints of agricultural growth in Nigeria is the inefficient use of productive resources and that considerable growth can be achieved by simply improving the level of efficiency in resource use [7,8]. Studies conducted by Akinola et al. [2] and Olatidoye et al. [4] revealed that Grasscutter production in Southwest, Nigeria, is mainly at subsistence level and output is relatively low despite its relatively competitive prices in both local and international market. It is therefore obvious that with the ever increasing human population and obvious protein shortage in Africa, an understanding of the efficiency of Grasscutter production in Nigeria, is most opportune.

Production efficiency means the attainment of production goals without waste. Efficiency is often used synonymously with that of productivity which relates output to input. In agriculture, the analysis of efficiency is generally associated with the possibility of farm production to attain optimal level of output from a given bundle of input at least cost. An underlining premises behind much of this work is that farmers are not making efficient use of existing technology, then efforts designed to improve efficiency would be more cost effective than introducing new technologies as a means of increasing agricultural output [9]. Efficiency of various livestock sub-sectors can be improved through efficient use of the existing

technologies, reallocation of resources and adoption of new technologies [9]. The challenge to policy makers is how to improve efficiency especially of the small farmers so as to attain large gains in agricultural output thus leading to reduction in food insecurity.

There have been several studies on economics of Grasscutter production in Nigeria but very few exist on efficiency e.g. [1] revealed the potential and constraints in Grasscutter production in Oyo State but falls short of providing the economic values of these potentials; also, [2] attempted to address this using marginal values which we consider inadequate in view of its average value. Despite the fewer studies conducted in Grasscutter production in the State, a Data Envelopment Approach has not been applied to determine the production efficiency of Grasscutter farmers in the study area. In view of this, the study examined the economic efficiency of Grasscutter production in Osun State using the Data Envelopment Approach.

## 1.1 Overview of Literature

Interestingly, there exist a large body of empirical literature on economic efficiency of farmers in developed countries and Asian economics but only a few empirical studies have focused on African agriculture to measure economic efficiency. These have proceeded along two general approaches: non-parametric and parametric. Whereas, the parametric imposes a functional form on the production function and uses the common production functions such as the Cobb-Douglas and trans log production function, the non-parametric do not and uses Linear programming. Most parametric approaches adopt either the two-step or the one-step stochastic frontier approach first developed by Aigner and Chu in 1977 [10,11].

From the existing studies, a consensus that seems to emerge is that farmers are inefficient in their resource allocation. Between [20-30%] of agricultural output is lost due to inefficiency but the most common are socio-economic variable such as farmers' age, farming experience, frequency of extension contact, educational level, farm size as well as membership of farmers' cooperative among others [12]. It has been argued that it is possible to increase agricultural production significantly by simply improving the producer's technical efficiency without additional investment.

Several authors' present strength and weaknesses of various techniques used in the efficiency measurement. For example, [13] among others noted that the stochastic frontier model specification not only addressed the noise problem associated with earlier (deterministic) frontiers, but also permitted the estimation of standard error and test of hypotheses which were not possible with the earlier deterministic models because of the variation of certain maximum likelihood regularity conditions. However, it was further noted that there is a problem of no *a priori* justification for the selection of any particular distributional form. Though the specification of a more general distributional form such as the truncated-normal and the two parameters gamma has partially alleviated this problem but the resulting efficiency measure may still be sensitive to distributional assumption [10]. The need for imposing an explicit parametric form for the underlying technology and an explicit distributional assumption for the inefficiency term are the main weaknesses of the parametric approach.

According to Kusi et al. [14], DEA avoids parametric specification of technology as well as distributional assumption for the inefficiency term. By using DEA, one will be able to:

- (i) Compare a group of service units to identify relatively inefficient units.
- (ii) Measure the magnitude of the inefficiencies.
- (iii) Compare the inefficient with the efficient ones.
- (iv) Discover ways to reduce the inefficiency.

However, DEA is deterministic and attributes all deviations from the frontier to inefficiency; a frontier estimated by DEA is likely to be sensitive to measurement error or other noise in the data. Various authors have examined the empirical performances of these two approaches. For instance, [15] found out that overall distribution of the technical efficiency scores for the stochastic production frontier (SPF) and DEA models were similar while the efficiency scores for individual boat varied considerably for these two approaches. Also, [7,16] found the result from the DEA to be more robust than those from the parametric.

This study demonstrates an approach to determining the farm efficiency using DEA technique. DEA is a non-parametric technique that measures the efficiency of Decision Making

Units (DMU) relative to production possibility or input requirement set. It was further described by Louisa et al. [15] in terms of floating piece-wise linear surface to rest on top of the observations. Specifically, the key constructs of a DEA model are the envelopment surface and the efficient projection path to the envelopment surface.

The envelopment surface and the efficient projection path depend on the scale assumption that underlined the model and the optimization assumption respectively. The optimization production process could be output or input-oriented model. The input-oriented model shows how much the input could be proportionally reduced without changing the quantity of the output produced while the output-oriented shows how much the output quantity could be proportionally expanded without altering the input quantity. Output oriented model gives credence to neo-classical production function defined as the maximum output given input quantity [17].

Most DEA applications to efficiency measurement in the literature are input-based type. The few established applications of output-based efficiency have primarily focused on the technical, scale and congestion efficiency [13]. In this study, the input-oriented model approach was used to estimate various efficiency indices because farmers tend to have greater control over their inputs than over their output. Non-parametric production frontier estimation was used in this study because it de-emphasizes the

assumptions that support much of the classical parametric production frontier and has the following merits as listed in the literature, among which are:

- (i) It requires less restrictive population assumptions than corresponding parametric methods.
- (ii) It generates a single input/output index to characterize efficiency of a firm or decision making unit producing multiple output from a set of inputs [13].
- (iii) It avoids parametric specification of technology.

## 2. MATERIALS AND METHODS

### 2.1 Study Area

The study was carried out in Osun State. The State has thirty local government areas divided into three agricultural zones (Iwo (Iwo and Ikire), Osogbo (Ikirun and Osogbo) and Ife-Ijesa (Ife and Ijesa) by the Osun State Agricultural Development Programme (OSADep). The State is located in the South-West geopolitical zone of Nigeria and occupies an area of land of about 14, 875km<sup>2</sup>. The ecological conditions are conducive for an impressive diversity of livestock such as cattle, sheep, goat, pig, rabbit, grasscutter and poultry. The State has a population of about 3.5 million [18] and the



Fig. 1. Map of Osun State, Nigeria showing the three agricultural zones

vegetation is characteristically that of rain forest and derived savannah with a mean annual rainfall that varies between 980mm and 2800 mm and a temperature range of 27 - 32°C. Fig. 1 shows the zonal classification of the study area.

## 2.2 Methods of Data Collection

The data for the research was collected mainly from primary source. This was obtained through a well-structured questionnaire which was distributed to seventy two Grasscutter farmers in the study area. The Data covered 2017/2018 farming season.

## 2.3 Sampling Technique/Method of Data Analysis

The Resident Agricultural Extension Agents and the State Ministry of Agriculture, Osun, were contacted to provide the list of registered Grasscutter farmers in the three agricultural zones which forms the sampling frame for the study. From the list provided, the total number of registered farmers in Ife-Ijesha zone was 38, 40 in Iwo zone and 42 in Osogbo zone. Hence, twenty four (24) Grasscutter farmers each were selected from each of the agricultural zones using simple random sampling technique, to arrive at a total sample size of seventy two (72) Grasscutter farmers interviewed for the study. The study made use of descriptive statistics and Data Envelopment Analysis (DEA), a non-parametric frontier, to estimate the efficiency indexes of Grasscutter farmers in the study area.

## 2.4 Model Specification

### 2.4.1 Technical efficiency model

TE;  $(y_j, x_j) = Q_1$  is independent of input prices and computed by solving the following input oriented DEA model under CRS assumption.

$$\begin{aligned} & \text{Min } Q_1 \\ & Q_1. \\ & \text{S. t} \end{aligned}$$

$$x_{ij} Q_1 - \sum_{i=1}^m x_{ij} \quad j \geq 0$$

$$\sum_{j=1}^m y_j \quad j - y_j \geq 0$$

$$j \geq 0 \quad f \quad \sum x_{ij} \quad j \geq 0$$

$$\sum_{j=1}^m y_j \quad j - y_j \geq 0 \quad (1)$$

for  $v_j$ ;  $Q_1$  unconstrained

If  $Q = 1$ , then the farm is on the frontier and is technically efficient under the assumption of Constant return to scale (CRS).

$x_i$  = production inputs like concentrates, drugs and vaccination, lighting, labour and capital.

### 2.4.2 Allocative efficiency model

Using [17] decomposition relationship, the allocative efficiency (AE) is computed thus:

$$AE; (y_j, x_{ij}, c_{ij}) = \frac{[EE_j (y_j, x_{ij}, c_{ij})]}{[TE, (y_j, x_{ij})]} \quad (2)$$

EE = Economic efficiency; TE = Technical efficiency.

### 2.4.3 Economic efficiency model

The overall economic efficiency (EE) is derived by first solving the cost minimizing DEA model under the constant return to scale (CRS) assumption.

$$MC_j (y_j, x_{ij}^*) = \min C_{ij} \cdot x_{ij}^* \quad (3)$$

$$\text{S. t. } + \sum_{j=1}^n y_j \quad j - y \geq 0$$

$$x_{ij}^* - \sum_{j=1}^n y_j \quad x_{ij} \quad j \geq 0 \geq 0$$

$$j \geq 0 \quad f \quad v_j$$

Where  $MC_j (y_j, x_j, C_{ij})$  is the minimum total cost under CRS assumption.

$Y_j$  values are the weights to be used as multipliers for the input levels of the  $j^{\text{th}}$  farm to indicate the input level that the farm aims at to achieve efficiency. EE is then defined as the ratio of minimum to actual observed costs.

$$EE (y_j, x_{ij}, G_j) = \frac{[MC (y_j, x_{ij}^*, c_{ij})]}{(C_{ij} \cdot x_{ij})} \quad (4)$$

### 2.4.4 Determinants of inefficiency model

A second step regression model was applied to determine the farm specific attributes in

explaining inefficiency in some studies such as [2,7,16]. Alternatively, the factors can be incorporated directly into the model. The pros and cons of these approaches are provided in [10,17]. This study applied a second step approach by using a Tobit regression.

The model assumes

$$y^* = \beta_0 + \beta_1 Z_1 + \beta_2 Z_2 + \beta_3 Z_3 + \beta_4 Z_4 + \beta_5 Z_5 + e \quad (5)$$

$$y = \begin{cases} y^* & \text{if } y^* < 100 \\ 100 & \text{otherwise} \end{cases}$$

Where y is the DEA efficiency model and used as a dependent variable.

- Z<sub>1</sub> = Education
- Z<sub>2</sub> = Experience
- Z<sub>3</sub> = Age
- Z<sub>4</sub> = Extension contact
- Z<sub>5</sub> = Household size

$\beta$  is the unknown parameter vector associated with the farm specific attributes and e is an independently distributed error term assumed to be normally distributed with zero mean and constant variance,  $\sigma^2$ . Therefore, the model assumed that there is underlying, stochastic index equal to  $(Z\beta + e)$  which is observed only when it is less than 100 and qualified as an unobserved latent variable. The dependent variable, that is efficiency invest cannot be normally distributed but censored distribution because it has a value between 0 and 1. Ordinary least square (OLS) will yield an inconsistent estimate, hence, this study used Tobit regression model using maximum likelihood estimate (MLE) approach.

The expected value becomes  $E(y/z) = 1 - (b) \times 100 + (b) Z - (b)$

$$\text{Where } b = (100 - z) / E(y/z). \quad (6)$$

### 3. RESULTS AND DISCUSSION

#### 3.1 Technical, Allocative and Economic Efficiency of the Farms

The technical, allocative and economic efficiencies of Grassutter farmers are presented in Table 1. These efficiencies were grouped into a frequency distribution with class interval of 0.10. The range of efficiency index varies greatly

with minimum of 0.742, 0.263 and 0.168 and maximum of 1.0 for technical, allocative and economic efficiencies, respectively. The mean efficiency which indicates the average potential that exists in Grasscutter production in the study area is 0.96, 0.63 and 0.827 for technical, allocative and economic efficiencies, respectively. Of the 72 Grasscutter farmers involved in the analysis, only one was found to be technically, allocatively and economically efficient. The measures of relative allocative and technical efficiency provide evidence as to the source of deviations from overall cost-minimizing behavior. Many Grasscutter farms employed the 'wrong' input mix, given input prices, so that, on average, costs were [37%] higher than the cost minimizing level. Although, effort was not made in this study to decompose the TE into pure TE and scale efficiency (SE). However, farms have the potential to reduce their physical input, on the average, by (4%) and still produce the same level of Grasscutter output.

Given the number of Grasscutter farmers that are inefficient, this suggests that there is the need to strengthen the existing level of resources used to increase their income at the existing level of available resources rather than a technological change. Table 1 further showed that with the allocative index of 0.630, it implies that the Grasscutter farmers in the study area have about (37%) potential to efficiently combine their resources. It was observed from Table 1 that inefficiency results in large part from allocative inefficiency (37%) rather than technical inefficiency (4%). This suggests that inefficient Grasscutter farmers use fewer resources to achieve maximum production but do not combine resources (input) efficiently. This finding is similar to [2] which found out that Grasscutter farmers in Oyo State achieve higher TE but poor AE which was attributed to the farmers' decision on the amount of inputs for cultivation was based on their experiences and not using input flexibilities according to the markets.

#### 3.2 Cost Minimizing Input Quantity of Grasscutter Farms

Summarily, the mean cost minimizing input quantities showed that on the average, the input used can be reduced to 21.5; 54.53; 11.41; 33.33 and 121.71 for X<sub>1</sub>, X<sub>2</sub>, X<sub>3</sub>, X<sub>4</sub> and X<sub>5</sub>, respectively. This indicates that so many saving could be made if the respondents are cost efficient. Table 2 showed that the efficiency scores of the descriptive statistics having the lowest dispersion of 0.02 around the mean.

**Table 1. Frequency distribution of efficiency index of Grasscutter farmers**

	TE	AE	EE
< 0.6	0	5	7
0.60 – 0.70	0	21	9
0.71 - 0.80	8	24	19
0.81 - 0.90	15	6	29
0.91 – 0.99	40	12	5
1	9	4	3
Mean	0.96	0.63	0.827

Source: Data analysis, 2018; TE = Technical efficiency, AE = Allocative efficiency; EE = Economic efficiency

**Table 2. Descriptive statistics of the efficiency indices**

Efficiency measure	Mean score	Standard deviation	Minimum	Maximum
Technical efficiency	0.96	0.02	0.742	1
Allocative efficiency	0.63	0.11	0.263	1
Economic efficiency	0.83	0.14	0.168	1

Source: Data analysis, 2018

**Table 3. Tobit regression showing relationship of selected farm specific factors and efficiencies index**

Variable parameter	TE		AE		EE	
	Coef.	t-value	Coef.	t-value	Coef.	t-value
Constant ( $\beta_0$ )	0.731	1.75	0.310	1.820	0.569	4.250
Education	0.370	2.710**	0.407	6.055***	0.357	1.978*
Experience	0.215	1.972*	0.067	1.105	0.002	0.100
Age	0.020	0.011	0.017	0.979	0.033	0.778
Extension	0.340	2.109*	0.340	2.109**	0.451	3.799***
Household size	0.010	0.555	0.040	0.225	0.001	0.111

\*10%, \*\*5%, \*\*\*1% probability levels;  $\beta_0$  Signifies the parameter estimates; TE=Technical efficiency, AE=Allocative efficiency, EE=Economic efficiency

**Table 4. Spearman rank correlation depicting relationship among TE, AE and EE**

	TE	AE	EE
TE	1.00	0.43*	0.89*
AE	0.43*	1.00	0.66*
EE	0.89*	0.67*	1.00

\*Signifies significance at 1% probability level: TE=Technical efficiency, AE= Allocative efficiency, EE= Economic efficiency

### 3.3 Determinants of Efficiency Differentials among Grasscutter Farmers

Farm specific factors such as age, experience, frequency of extension contact, education and household size were examined to explain the determinants of efficiency differentials among farmers for TE, AE and EE. Applying Tobit regressions to analyze the efficiency parameters as defined in equation (5) and (6). The Tobit regression coefficients are interpreted to analyze the directional relationship between efficiency and covariates. The results in Table 3 showed

that the education parameter has a consistent positive relationship with all the three efficiency indices and significant for TE, AE and EE at 5%, 1% and 10% probability levels, respectively. This implies that the more educated the farmer is, the more likely efficient he is, probably as a result of their better skills and willingness to identify and adopt new innovations. This agrees with the findings of [1] and [16].

Farmers' years of experience in Grasscutter farming was positively signed with the three efficiency indices but only significant for TE at 10% level of probability. This implies that farmers

are able to draw on past production experience to suit their farming condition and the technical know-how obtained through experience increases technical efficiency and thus increase productivity. This finding is consistent with the findings of [8,19,20]. Extension visit also was positively signed with all the efficiency indices and significant for TE, AE and EE at 10%, 5% and 1% probability levels, respectively. This implies that extension services improve technical, allocative and economic efficiency. Thus, extension services increase the level of farmers' availability to information which in turn plays an important role in increasing farm level efficiency. This also agrees with the finding of [21].

### 3.4 Spearman Rank Correlation Depicting Relationship among TE, AE and EE

Table 4 shows the results of the Spearman rank correlations coefficients between the different measures of efficiency. This estimate provides weak but significant estimates between TE and AE with a strong but significant relationship between TE and EE. This finding suggests that a technically efficient farm would not necessarily be allocatively efficient.

## 4. CONCLUSION AND RECOMMENDATIONS

The study examined the economic efficiency of grasscutter production and the various drivers through which the grasscutter farmers' performance can be improved in Osun State, Nigeria, using the DEA. It was observed that there exist more potential that remained untapped in grasscutter production in the study area and that the economic inefficiency observed was more as a result of allocative inefficiency rather than the technical inefficiency. The TE and AE were found to be 0.96 and 0.63 respectively. This suggests that an increase in output is possible with a decrease in the cost, if the grasscutter farmer uses the right input mix. Education and frequency of access to extension service were found to significantly impact on both TE and AE. The study therefore recommends, based on the findings, that, the extension teaching should focus more on the appropriate combinations of input resources given the price as this was found to contribute more to the economic inefficiency than technical inefficiency. Also, both old and new entries into Grasscutter production in the study area should be exposed to educational programmes such as workshops

and seminars since education helps to improve economic efficiency.

## COMPETING INTERESTS

Authors have declared that no competing interests exist.

## REFERENCES

1. Adedapo AA, Adekunle AO. Economic aspects of grasscutter farming in southwest Nigeria: Implications for sustainable adoption and conservation. *International Journal of Scientific and Engineering Research*. 2014;4(10):17–23.
2. Akinola LAF, Etela I, Emiero SR. Grasscutter (*Thryonomys swinderianus*) Production in West Africa: Prospects, Challenges and role in disease transmission. *American Journal of Experimental Agriculture*. 2015;6(4):196–207.  
DOI: 10.9734/AJEA/2015/14194
3. Henry AJ. Reproductive performance of grasscutter does at first parity reared in humid tropical environment. *Proceedings of 39<sup>th</sup> Annual Conference of Nigeria Society for Animal Production*, University of Ibadan, Nigeria. 2014;155–158.
4. Olatidoye MS, Alimi T, Akinola AA. Determinants of technical efficiency in cotton production in the southern cotton growing zone of Nigeria: A stochastic production frontier approach. *Asian Journal of Agriculture*. 2018;2(2):58–64.  
DOI: 10.13057/asianjagric/g020205.
5. Olukole SG, Oyeyemi MO, Oke BO. Gross anatomy of male reproductive organs of the domesticated grasscutter *Thryonomys swinderianus* Temmink). *Proceedings of 25<sup>th</sup> Annual Conference of Nigerian Society for Animal Production*. University of Ibadan, Nigeria. 2010;268-271.
6. Owen OJ, Dike UA. Japanese quail (*Coturnixcoturnix japonica*) husbandry: A means of increasing animal protein base in developing countries. *Journal of Environmental Issues and Agriculture in Developing Countries*. 2013;5(1):1–4.
7. Ajao AO, Ogunniyi LT, Adepoju AA. Economic efficiency of soybean production in Ogo-Oluwa Local Government Area of Oyo State, Nigeria. *American Journal of Experimental Agriculture*. 2012;2(4):667–679.
8. Taiwo AA, Fayenuwo AJ, Fajimi AK, Fapohunda JB, Adebowale EA. Supple-



- mentary effect of concentrate feed on the performance of cane rats fed basal diet of elephant grass. *Nigerian Journal of Animal Production*. 2009;36(1):153-160.
9. Huynh VK, Mitsuyasu Y. Productive efficiency of soyabean production in the mekong river delta of vietnam, soybean. applications and technology, Prof. Tzi Bun Ng (Ed.) InTech; 2011. [ISBN:978-953-307-207-4] Available:<http://www.intechopen.com/books/soyabean-applications-and-technology/productiveefficiency-of-soyabean-production-in-the-mekong-river-delta-of-vietnam>
  10. Khumbhakar SC. A Generalized production frontier approach for estimating determinants of inefficiency in us dairy farms, *Journal of Business and Economic Statistics*. 2001;9:279–286.
  11. Adedeji IA, Adelalu KO, Ogunjimi SI, Otekunrin AO. Application of stochastic production frontier in estimation of technical efficiency of poultry egg production in ogbomos metropolis of Oyo State, Nigeria. *World Journal of Agricultural Research*. 2013;1(6):119–123.
  12. Wogar GSI, Effiong OO, Nsa EE. Performance of growing grasscutter on different fibre sources. *Pakistan Journal of Nutrition*. 2011;11(1):51-53.
  13. Batesse GE, Coelli TJ. Prediction of firm-level technical efficiencies with a generalized frontier production function and panel data. *Empirical Economics*. 2008;20(3):325-332.
  14. Kusi C, Tuah AK, Annor SY, Djang-Fordjour KT. Determination of dietary crude protein level required for optimum growth of the grasscutter in captivity. *Livestock Research for Rural Development*. 2012;24(10).
  15. Louisa C, Sean P, Simon M. DEA vs econometric analysis of efficiency in fisheries. Proceedings of the 9<sup>th</sup> International Conference of the International Institutes of Fisheries Economics and Trade, Troms, Norway; 1998.
  16. Moradeyo AO, Arene CJ. Constraints and determinants of technical efficiency in medium-scale soybean production in Benue State, Nigeria. *African Journal of Agricultural Research*. 2010;5(17):2276-2280.
  17. Fare R, Grosskopf S, Lovell CAK. *Production Frontier*. Cambridge University Press, Cambridge. 1994;320.
  18. NPC. National Population and Housing Census Report; 2006.
  19. Onyeausi AE, Famoyin JB. Health care management of grasscutter in captivity: Assessment of causes of mortalities among rearing stock in Ibadan metropolis. *Journal of Forestry Research and Management*. 2005;2(5):58–66.
  20. Benjamin UU, Akinyemi AF, Ijeomah HM. Problems and prospects of grasscutter (*Thryonomys swinderianus*) farming in Ibadan, Nigeria. *Journal of Agriculture, Forestry and Social Sciences (JOAFSS)*. 2016;4(2):24-32.
  21. Fakoya EO, Sodiya CI, Alarima CI, Omoare AM. Information Needs of Farmers in Grasscutter Production for Improving Performance in Ona-Ara Local Government Area of Oyo State. Proceedings of 33<sup>rd</sup> Annual Conference of Nigerian Society for Production. Ayetoro, Ogun State, Nigeria. 2008;300–301.

© 2019 Olatidoye et al.; This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

*Peer-review history:*  
*The peer review history for this paper can be accessed here:*  
<http://www.sdiarticle3.com/review-history/49481>